



## APPROVED MATERIALS LIST FOR PARKS & LANDSCAPE

### BUILDINGS & GROUNDS

#### Picnic Tables

Q – LBT – 72PT modified with skate deterrent notches  
Color Latte, Texture - Craftsman Etch, Permashield Premium Sealer  
QCP Corp (951)737-6240 [cchavez@qcp-corp.com](mailto:cchavez@qcp-corp.com)

Q – LBT – 96PT modified with skate deterrent notches  
Color Latte, Texture - Craftsman Etch, Permashield Premium Sealer  
QCP Corp (951)737-6240 [cchavez@qcp-corp.com](mailto:cchavez@qcp-corp.com)

ADA Picnic Table

Q – LBT102PTADA modified with skate deterrent notches  
Color Latte, Texture - Craftsman Etch, Permashield Premium Sealer  
QCP Corp (951)737-6240 [cchavez@qcp-corp.com](mailto:cchavez@qcp-corp.com)

#### Benches

Landscapeforms 'Parc Vue'™ metal bench, with center divider and surface mounting option,  
landscapeforms.com (800)430-6209  
[comments@landscapeforms.com](mailto:comments@landscapeforms.com)

Q2 – CAL72B modified with skate deterrent notches  
Color Latte, Texture – Craftsman Etch, Permashield Premium Sealer  
QCP Corp (951)737-6240 [cchavez@qcp-corp.com](mailto:cchavez@qcp-corp.com)

#### Waste Containers

Landscapeforms 'Petoskey'™ metal trash receptacle and ash urn  
landscapeforms.com (800)430-6209  
[comments@landscapeforms.com](mailto:comments@landscapeforms.com)

QRCAL2436WH24 modified with San Marcos logo.  
Color Latte, Texture – Craftsman Etch, Permashield Premium Sealer  
Grey thermal plastic dome lid (LID-H24)  
Round Roto Cast Black Plastic Liner (QRPL30B)  
QCP Corp (951)737-6240 [cchavez@qcp-corp.com](mailto:cchavez@qcp-corp.com)

#### Recycling Container

QRCAL2436WH24 modified with blue painted "Recycle" logo  
Color Latte, Texture – Craftsman Etch, Permashield Premium Sealer  
Blue thermal plastic dome lid (LID-H24)  
Round Roto Cast Black Plastic Liner (QRPL30B)  
QCP Corp (951)737-6240 [cchavez@qcp-corp.com](mailto:cchavez@qcp-corp.com)

#### Park Monument Signs

QCP Precast Monument Sign, contact Cynthia Chavez (951) 256-3221,

[cchavez@qcp-corp.com](mailto:cchavez@qcp-corp.com)

### **Charcoal Barbecue Grill**

Pilot Rock N-20 Series Charcoal Grill w/ embedded post base

<https://www.pilotrock.com/series/charcoal-grills/n-20-series-charcoal-grill/>

### **Hot Ash Container**

QCP - QPSHA2842 white letters, red background, rear access door

Color Latte, Texture Craftsman Etch, Permashield Premium Sealer

QCP Corp (951)737-6240 [cchavez@qcp-corp.com](mailto:cchavez@qcp-corp.com)

### **Security Bollards**

Calpipe Security Bollards IBP04040 SCH 40 ASTM A-53 Carbon Steel

Galvanized finish w/ engineer grade reflective tape – Standard flat cap

[www.calpipebollards.com](http://www.calpipebollards.com) 1-877-283-8518

### **Lighting**

Park Pedestrian Lights – NLS Lighting – Horizon PT Architectural Lighting

<https://nlsighting.com/>

Urban Trail Lights - Spectra Lighting – Element Series – ELE-STR/T

[www.spectralighting.com](http://www.spectralighting.com)

Parking Lot Lights

Lithonia Lighting D Series LED Area Luminaires

[www.lithonia.acuitybrands.com](http://www.lithonia.acuitybrands.com)

### **Tree Grates**

Ironsmith 'Marina' model # 6084, cast iron unfinished, minimum size 60"x60" with pilfer proof bolting option. ironsmith.cc, (800) 338-4766, [sales@ironsmith.biz](mailto:sales@ironsmith.biz)

### **Stabilized Decomposed Granite Paving**

Decomposed Granite - Desert Gold or Paradise Gold or approved equal

Topical Application: StaLok Concentrate by Stabilizer Solutions, Inc.

[www.stabilizersolutions.com/products/stalok-concentrate/](http://www.stabilizersolutions.com/products/stalok-concentrate/)

Natrakil D.G. Stabilizer (granular), [www.gaimaterial.com](http://www.gaimaterial.com)

### **Landscape DG Trail/Boundary Edging**

Concrete Mow Curb – 6" w x 8" d, SDL-103 Type A

Sure-Loc landscape edging - ¼" x 5" x 16', [surelocedging.com](http://surelocedging.com)

### **Lodge Pole Fencing**

Posts- 6' x 6" diameter pressure treated pine, chamfered end. Rails- 8' x 4" diameter pressure treated pine, tapered ends. Weather Proofing Sealer- Behr Natural Cedar



### Dog Parks

Dogipot Aluminum Junior Bag Dispenser, Model 1002-2. Review models  
10 Gallon Steel Dogipot Trash Receptacle w/lid, Model 1206-L Galvanized Steel Square Telescopic Dogipot  
Post, Model 1301-P, 4' to 8' Aluminum Dogipot Reflective "On Leash" Pet Sign, Model 1203,  
11.5" x 18". dogipot.com, (800) 364-7681, [info@dogipot.com](mailto:info@dogipot.com)

### Ball Fields

Pro Gold Infield Mix, available at Gail Materials, 1256 Magnolia Avenue, Corona CA  
92879, gailmaterials.com (951) 279-1095  
Angel Mix, available at Corona Clay Company, 22079 Knabe Road, Corona, CA 92883,  
coronaclayco.com (951) 277-2667

### Sports Field Turf

Hybrid Bermuda – Bandera or Tahoma 31, available at West Coast Turf, Westcoastturf.com (888)893-8873

### Playground Equipment

Landscape Structures Commercial Playground Equipment  
All public playground equipment and appurtenances supplied to a project shall comply with all applicable  
provisions of the current "Handbook for Public Safety" published by Consumer Product Safety  
Commission (CPSC) and ASTM F-1487-11, "Standard Consumer Safety Performance Specifications for  
Playground Equipment for Public Use" published by the American Society of Testing and Materials (ASTM).  
All products shall bear the certification seal of the International Play Equipment Manufacturers  
Association (IPEMA). All designs shall meet or exceed the most current edition of the Americans with  
Disabilities Act (ADA) "Final Guidelines for Play Areas". All manufacturers must be ISO certified.  
[www.playlsi.com](http://www.playlsi.com)

### Playground Surfacing

PlaySoft™ Engineered Wood Fiber  
(Meets or exceeds ASTM F1292 & F2075 safety standards)

### Restroom Buildings and Overhead Structures

[www.romtec.com](http://www.romtec.com)

### Shade Sail Structures

Shade sails to include Shazeebo's Locking Safety Turnbuckles  
[www.shazeebo.com](http://www.shazeebo.com)

### Drinking Fountains

Murdock Model M-OBF4 or Model GYM74  
Murdock Manufacturing 800-453-7465 [www.murdock.com](http://www.murdock.com)

## IRRIGATION

### Backflow Preventer

Backflow Preventer- Zurn Wilkins model 975XL or Febco 825Y  
Pressure Regulator- Zurn Wilkins 500XL-HR or 600XL-HR  
Wye Strainer- Febco or Zurn Wilkins



### **Backflow Enclosure**

V.I.T. Strong Box SBBC series enclosure with smooth touch finish

### **Drip Irrigation**

Hunter ICZ pressure regulating control zone kit

Hunter Drip Zone Eco-Indicator

Rain Bird XFS-CV Subsurface Dripline with Copper Shield Rain Bird XCZ-PRB-COM pressure regulating control zone kit Rain Bird ARV050 air relief valve

Rain Bird MDCFCAP removable flush cap with easy fit compression fitting

### **Fertilizer Injector**

EZ-FLO

Yard Feeder

### **Irrigation Heads and Nozzles**

Hunter PGP Ultra series rotor head

Hunter I20 series rotor head with stainless steel riser or approved equal (turf zones)

Hunter Pro-Spray PRS-CV series pop-up spray head

Hunter MP nozzles

Hunter MSBN-multi-stream bubbler nozzle with pop-up spray head (tree irrigation)

Rain Bird 5000 series rotor head with MPR nozzles

Rain Bird 1800-SAM-PRS series

Rain Bird R-VAN series nozzle

### **Irrigation Staking**

Hunter Shrub Rotor Staking Kit

### **Quick Coupler Valves**

Hunter Quick Coupler model HQ-44RC-AW with anti-rotation stabilization wings

Rain Bird Quick Coupler model 44RC

### **Isolation Valves**

Clow resilient wedge valves for 2-1/2" or larger mainlines.

Nibco Model T-585-70 Two-Piece Bronze Full Port Ball Valve with Stainless Steel handle

Watts Regulator – Model FBV-3C-SS, FBVS-3C-SS

### **Check Valves**

King Brothers swing check valves.


### **Remote Control and Master Valves**

Hunter IBV brass valve

Rain Bird EFB-CP series brass valve

### **Valve Boxes**

Carson plastic valve boxes:



Standard Box Model 1419 with bolt down option cover.  
Jumbo Box Model 1220 with bolt down option cover.  
Round 6" Box Model 708 with twist on bolt down option cover. Round 10" Box Model 910 with bolt down option cover.

Rain Bird plastic valve boxes:

Standard Box Model PVBSTD with VB-LOCK-H Hex head. Jumbo Box Model PVBJMB with VB-LOCK-H Hex head. Round 6" Box Model PVB6RND with VB-LOCK-H Hex head.  
Round 10" Box Model PVB10RND with VB-LOCK-H Hex head.

Brooks concrete valve boxes with cast-iron or concrete lid: Standard Box Model 36PB  
Jumbo Box Model 38PB Round Box Model 3-RT

Oldcastle concrete box:

Utility Box Model N40 (24 1/2" x 36") with reinforced concrete lid

### **Irrigation Wells**

Rain Bird Remote Control Valve Models EFBCP and EFB-CP, R Series, brass construction, use for well fed systems only.

Sensus brass water meter available at:

H.D. Supply Waterworks, 1550 Linda Vista Drive, San Marcos CA 92069 (760) 744-5600

### **Control Wiring**

UF Irrigation Valve Wire, Regency Wire, regencywire.com or Paige Wire, paigewire.com

Direct Burial Flow Sensor Cable: Paige spec P7195D  
paigewire.com, (559) 431-2346, vnolletti@paigeelectric.com

Communications Cable: Paige P7171D

### **Wire Connectors**

Spears Dri-Splice DS100 with DS300 Sealant  
3M Scotchcast 3570G

### **Irrigation Controllers**

Weathermatic Smartline Irrigation Controller SL4800 including Smartlink Air card Flow & Smartlink Weather Sensor SLW5. Contact: Imperial Technical Services 760-738-8301

Hydropoint Data Systems SiteOne Green Tech Irrigation Controller model SA-WT5-AX includes Weather Trak OXR Optiflow controller with 10 year data service and 10 warranty package.

Contact: SiteOne Green Tech : 949-455-7465

Erik Anderson: (949) 285-4048 [eanderson@siteone.com](mailto:eanderson@siteone.com) [GT10pricing@siteone.com](mailto:GT10pricing@siteone.com)

V.I.T. SS Top Entry Enclosure, assembly by Site One Green Tech, contact: Eric Anderson: (949) 285-4048  
[eanderson@siteone.com](mailto:eanderson@siteone.com)

### **Flow Sensor**

Weathermatic Smartlink Flow Sensor SLFSI-T  
SiteOne Green Tech GTFS series flow sensor PVC or Brass

### **Enclosure for Irrigation Controller**

V.I.T. Strong Box SB top entry enclosure.

### **Irrigation Electrical Service**

Single meter pedestal,  
USP16 [www.myerspower.com](http://www.myerspower.com)

Dual meter pedestal  
USPD [www.myerspower.com](http://www.myerspower.com)

## **LANDSCAPE**

Landscape Forest Mulch available at Agri Service (800) 262-4167

Fiberweb Bio-Barrier Root Control System, 19-1/2" depth [www.geo-synthetics.com](http://www.geo-synthetics.com)

Lodgepole Tree Stakes- 2" diameter by 12' length

V.I.T. Cinch Ties

Filter Fabric - Mirafi N-Series Nonwoven Polypropylene Geotextile (160N)

Landscape Rock / Boulders – Honey Quartz  
[www.krcrock.com](http://www.krcrock.com)

### **Stamped Concrete Pattern and Color**

Cut Cobble Stone, code CS350 regular & CS350F flex by Decorative Concrete Limited

760-659-6775, [CUT COBBLE STONE – DCU \(dcuvista.com\)](http://dcuvista.com)

Color- Cemex Ready Mix San Diego Buff (equal).