



APPROVED MATERIALS LIST FOR PARKS & LANDSCAPE

BUILDINGS & GROUNDS

PICNIC TABLES

Q – LBT – 72PT modified with skate deterrent notches
Color Latte, Texture - Craftsman Etch, Permashield Premium Sealer
QCP Corp (951)737-6240 cchavez@qcp-corp.com

Q – LBT – 96PT modified with skate deterrent notches
Color Latte, Texture - Craftsman Etch, Permashield Premium Sealer
QCP Corp (951)737-6240 cchavez@qcp-corp.com

ADA Picnic Table
Q – LBT102PTADA modified with skate deterrent notches
Color Latte, Texture - Craftsman Etch, Permashield Premium Sealer
QCP Corp (951)737-6240 cchavez@qcp-corp.com

BENCHES

Landscapeforms ‘Parc Vue’™ metal bench, with center divider and surface mounting option,
landscapeforms.com (800)430-6209
comments@landscapeforms.com

QCP Vega Bench, model # BNVG
Q2 – CAL72B modified with skate deterrent notches
Color Latte, Texture – Craftsman Etch, Permashield Premium Sealer
QCP Corp (951)737-6240 cchavez@qcp-corp.com

WASTE CONTAINERS

Landscapeforms ‘Petoskey’™ metal trash receptacle and ash urn
landscapeforms.com (800)430-6209
comments@landscapeforms.com

QRAL2436WH24 modified with San Marcos logo.
Color Latte, Texture – Craftsman Etch, Permashield Premium Sealer
Grey thermal plastic dome lid (LID-H24)
Round Roto Cast Black Plastic Liner (QRPL30B)
QCP Corp (951)737-6240 cchavez@qcp-corp.com

RECYCLING CONTAINER

QRAL2436WH24 modified with blue painted “Recycle” logo
Color Latte, Texture – Craftsman Etch, Permashield Premium Sealer
Blue thermal plastic dome lid (LID-H24)



Round Roto Cast Black Plastic Liner (QRPL30B)
QCP Corp (951)737-6240 cchavez@qcp-corp.com

PARK MONUMENT SIGNS

QCP Precast Monument Sign, contact Cynthia Chavez (951) 256-3221,
cchavez@qcp-corp.com

CHARCOAL BARBECUE GRILL

Pilot Rock N-20 Series Charcoal Grill w/ embedded post base
<https://www.pilotrock.com/series/charcoal-grills/n-20-series-charcoal-grill/>

HOT ASH CONTAINER

QCP - QPSHA2842 white letters, red background, rear access door
Color Latte, Texture Craftsman Etch, Permashield Premium Sealer
QCP Corp (951)737-6240 cchavez@qcp-corp.com

SECURITY BOLLARDS

Calpipe Security Bollards IBP04040 SCH 40 ASTM A-53 Carbon Steel
Galvanized finish w/ engineer grade reflective tape – Standard flat cap
www.calpipebollards.com 1-877-283-8518

LIGHTING

Park Pedestrian Lights – NLS Lighting – Horizon PT Architectural Lighting
HRZ-1-TX-16L-53-30K8-UNV-PT38-BRZ-MGF-FSP-20-3-ARM-HSS
<https://nlslighting.com/>

Urban Trail Lights - Spectra Lighting – Element Series – ELE-STR/T
www.spectralighting.com

Parking Lot Lights - Lithonia Lighting D Series LED Area Luminaires
DSX0LED-P330K-TX-MVOLT-RPA-DDBXD
www.lithonia.acuitybrands.com

Sports Field Lighting – Musco

Solar Walkway Lights – First Light Technologies (FLT) – RSL POLE TOP
RSL-PTM-BZ-STN-TX-WW-07
<https://www.flt.com/products/rsl-pole-top>

Solar Parking Lot Lights - First Light Technologies (FLT) – SCL3
SCL3-HT-DB-T4-WW-07
<https://www.flt.com/products/scl3>

Lightning Controls - Intermatic Astronomic Timeclock – ET8215C
<https://www.intermatic.com/Product/ET8215C>



TREE GRATES

Ironsmith 'Marina' model # 6084 60" x 60", cast iron unfinished
Ironsmith 'Marina' model # 8484 60" x 84", cast iron unfinished
ironsmith.cc, (800) 338-4766, sales@ironsmith.biz

Mega Grate Stake 8' x 1 1/4" diameter (2 per tree)
JR Partners, 562-403-3848, info@oconnorssales.com

STABILIZED DECOMPOSED GRANITE PAVING

Decomposed Granite - Desert Gold or Paradise Gold or approved equal

Topical Application: StaLok Concentrate by Stabilizer Solutions, Inc.
www.stabilizersolutions.com/products/stalok-concentrate/
Natrakil D.G. Stabilizer (granular), www.gailmaterial.com

GraniteCrete- Natural Gold, permeable paving, 408-858-96-35, info@granitecrete

LANDSCAPE DG TRAIL/BOUNDARY EDGING

Concrete Mow Curb – 6"w x 8"d, SDL-103 Type A
Sure-Loc landscape edging -1/4"x5"x16', surelocedging.com

LODGE POLE FENCING

Posts- 6' x 6" diameter pressure treated pine, chamfered end. Rails- 8' x 4" diameter pressure treated pine, tapered ends. Weather Proofing Sealer- Behr Natural Cedar

DOG PARKS

Dogipot Aluminum Junior Bag Dispenser, Model 1002-2. Review models
10 Gallon Steel Dogipot Trash Receptacle w/lid, Model 1206-L Galvanized Steel Square Telescopic
Dogipot Post, Model 1301-P, 4' to 8' Aluminum Dogipot Reflective "On Leash" Pet Sign, Model 1203,
11.5" x 18". dogipot.com, (800) 364-7681, info@dogipot.com

BALL FIELDS

Stabilized Pro Gold Infield Mix, available at Gail Materials, 1256 Magnolia Avenue,
Corona CA 92879, gailmaterials.com (951) 279-1095

PLAYGROUND EQUIPMENT

Landscape Structures Commercial Playground Equipment
All public playground equipment and appurtenances supplied to a project shall comply with all applicable provisions of the current "Handbook for Public Safety" published by Consumer Product Safety Commission (CPSC) and ASTM F-1487-11, "Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use" published by the American Society of Testing and Materials (ASTM). All products shall bear the certification seal of the International Play Equipment Manufacturers Association (IPEMA). All designs shall meet or exceed the most current edition of the Americans with Disabilities Act (ADA) "Final Guidelines for Play Areas". All manufacturers must be ISO certified.



www.playlsi.com

PLAYGROUND SURFACING

PlaySoft™ Engineered Wood Fiber
(Meets or exceeds ASTM F1292 & F2075 safety standards)

RESTROOM BUILDINGS AND OVERHEAD STRUCTURES

www.romtec.com

Shade Sail Structures
USA Shade, Inc., 833-991-5212, www.usa-shade.com

Drinking Fountains
Murdock Model M-OBF4 or Model GYM74
Murdock Manufacturing 800-453-7465 www.murdock.com

IRRIGATION

BACKFLOW PREVENTER

Backflow Preventer- Zurn Wilkins model 975XL2 (lead-free) or Febco 825YA (lead-free)
Pressure Regulator- Zurn Wilkins 500XL-HR or 600XL-HR
Wye Strainer- Febco or Zurn Wilkins

BACKFLOW ENCLOSURE

V.I.T. Strong Box SBBC series, front entry enclosure with smooth touch finish

DRIP IRRIGATION

Hunter ICZ pressure regulating control zone kit
Hunter Eco-Wrap dripline, 0.6 GHP, 12" spacing
Hunter Drip Zone Eco-Indicator
Rain Bird XFS-CV Subsurface Dripline with Copper Shield Rain Bird XCZ-PRB-COM pressure regulating control zone kit
Rain Bird ARV050 air relief valve
Rain Bird MDCFCAP removable flush cap with easy fit compression fitting

FERTILIZER INJECTOR

EZ-FLO
Yard Feeder

IRRIGATION HEADS AND NOZZLES

Hunter PGP Ultra series rotor head
Hunter I20 series rotor head with stainless steel riser or approved equal (turf zones)
Hunter Pro-Spray PRS-CV series pop-up spray head
Hunter MP nozzles
Hunter MSBN-multi-stream bubbler nozzle with pop-up spray head (tree irrigation)



Rain Bird 5000 series rotor head with MPR nozzles
Rain Bird 1800-SAM-PRS series
Rain Bird R-VAN series nozzle

IRRIGATION STAKING

Hunter Shrub Rotor Staking Kit

QUICK COUPLER VALVES

Hunter Quick Coupler model HQ-44RC-AW with anti-rotation stabilization wings
Rain Bird Quick Coupler model 44R

ISOLATION VALVES

Clow resilient wedge valves for 2-1/2" or larger mainlines.
Nibco Model T-585-70 Two-Piece Bronze Full Port Ball Valve with Stainless Steel handle
Watts Regulator – Model FBV-3C-SS, FBVS-3C-SS

CHECK VALVES

King Brothers swing check valves.

REMOTE CONTROL AND MASTER VALVES

Hunter IBV brass valve
Rain Bird EFB-CP series brass valve

VALVE BOXES

Carson plastic valve boxes:
Standard Box Model 1419 with bolt down option cover.
Jumbo Box Model 1220 with bolt down option cover.
Round 6" Box Model 708 with twist on bolt down option cover. Round 10" Box Model 910 with bolt down option cover.
Carson Specification Grade- fertilizer injector valve box

NDS Pro Series valve boxes, Tan (landscape), Green (turf)

Rain Bird plastic valve boxes:
Standard Box Model PVBSTD with VB-LOCK-H Hex head. Jumbo Box Model PVBJMB with VB-LOCK-H Hex head. Round 6" Box Model PVB6RND with VB-LOCK-H Hex head.
Round 10" Box Model PVB10RND with VB-LOCK-H Hex head.

Brooks concrete valve boxes with cast-iron or concrete lid: Standard Box Model 36PB
Jumbo Box Model 38PB Round Box Model 3-RT

Oldcastle concrete box:
Utility Box Model N40 (24 1/2" x 36") with reinforced concrete lid



IRRIGATION WELLS

Rain Bird Remote Control Valve Models EFBCP and EFB-CP, R Series, brass construction, use for well fed systems only.

Sensus brass water meter available at:

H.D. Supply Waterworks, 1550 Linda Vista Drive, San Marcos CA 92069 (760) 744-5600

CONTROL WIRING

UF Irrigation Valve Wire, Regency Wire, regencywire.com or Paige Wire, paigewire.com

Direct Burial Flow Sensor Cable: Paige spec P7195D

paigewire.com, (559) 431-2346, vnolletti@paigeelectric.com

Communications Cable: Paige P7171D

WIRE CONNECTORS

3M DBRY-6 (kit)

3M Scotchcast 3570G

IRRIGATION CONTROLLERS

Weathermatic Smartline Irrigation Controller SL4800 including Smartlink Air card Flow & Smartlink Weather Sensor SLW5. Contact: Imperial Technical Services 760-738-8301

Hydropoint Data Systems SiteOne Green Tech Irrigation Controller model SA-WT5-AX includes Weather Trak OXR Optiflow controller with 10 year data service and 10 warranty package.

Contact: SiteOne Green Tech : 949-455-7465

Erik Anderson: (949) 285-4048 eanderson@siteone.com GT10pricing@siteone.com

V.I.T. SS Top Entry Enclosure, assembly by Site One Green Tech, contact: Eric Anderson: (949) 285-4048 eanderson@siteone.com

FLOW SENSOR

Weathermatic Smartlink Flow Sensor SLFSI-T

SiteOne Green Tech GTFS series flow sensor PVC or Brass

ENCLOSURE FOR IRRIGATION CONTROLLER

V.I.T. Strong Box SB top entry enclosure.

IRRIGATION ELECTRICAL SERVICE

Single meter pedestal,

USP16 www.myerspover.com

Dual meter pedestal

USPD www.myerspover.com

LANDSCAPE

Landscape Forest Mulch available at Agri Service (800) 262-4167



Fiberweb Bio-Barrier Root Control System, 19-1/2" depth www.geo-synthetics.com
Lodgepole Tree Stakes- 2" diameter by 12' length
V.I.T. Cinch Ties
Filter Fabric - Mirafi N-Series Nonwoven Polypropylene Geotextile (160N)
Landscape Rock / Boulders – Honey Quartz
www.krcrock.com

STAMPED CONCRETE PATTERN AND COLOR

Cut Cobble Stone, code CS350 regular & CS350F flex by Decorative Concrete Limited
760-659-6775, CUT COBBLE STONE – DCU (dcuvista.com)
Color- Cemex Ready Mix San Diego Buff (equal).